

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20050102498"	US-PGPUB; USPAT	OR	ON	2006/05/08 15:25
S1	4	"799086".ap.	US-PGPUB; USPAT	OR	ON	2006/01/13 12:55
S2	1	"OSAKI, NOBUYUKI"	US-PGPUB; USPAT	OR	ON	2006/01/13 13:06
S3	133465	data adj storage	US-PGPUB; USPAT	OR	ON	2005/08/09 12:59
S4	116	(encrypted adj data adj storage)	US-PGPUB; USPAT	OR	ON	2005/08/10 09:19
S5	1	(encrypted adj data adj storage) same convert\$3	US-PGPUB; USPAT	OR	ON	2005/08/09 13:19
S6	709	(encrypted adj data) same convert\$3	US-PGPUB; USPAT	OR	ON	2005/08/09 13:19
S7	464	(encrypted adj data) with convert\$3	US-PGPUB; USPAT	OR	ON	2005/08/09 13:19
S8	317	(encrypted adj data) near3 convert\$3	US-PGPUB; USPAT	OR	ON	2005/08/09 13:19
S9	248	(encrypted adj data) near convert\$3	US-PGPUB; USPAT	OR	ON	2005/08/09 13:20
S10	116	(encrypted adj data adj storage)and (decrypt\$3 or read\$3 or writ\$3 or execut\$3 or cryptograhpic or logic or circuitry or request or component or (data adj block) or (file adj system) or engine or replac\$3 or criteria or second or first or storage or data or communication or sequential or network or prescribed or format or overwrit\$3)	US-PGPUB; USPAT	OR	ON	2005/08/09 13:53
S11	812	(convert\$4 or convers\$4)same(read adj request)	US-PGPUB; USPAT	OR	ON	2006/01/17 11:49
S12	46	((convert\$4 or convers\$4)near format)same(read adj request)	US-PGPUB; USPAT	OR	ON	2005/08/09 14:55
S13	1	((convert\$4 or convers\$4)near encryp\$4)same(read adj request)	US-PGPUB; USPAT	OR	ON	2005/08/09 14:58
S14	74	(read adj request) same decrypt\$4	US-PGPUB; USPAT	OR	ON	2005/08/09 14:58
S15	46	(read adj request) with decrypt\$4	US-PGPUB; USPAT	OR	ON	2005/08/09 14:59
S16	46	((read adj request) with decrypt\$4) and encrypt\$3	US-PGPUB; USPAT	OR	ON	2005/08/09 15:03
S17	2088	(read with decrypt\$4) and (conver\$5)	US-PGPUB; USPAT	OR	ON	2005/08/09 15:05

EAST Search History

S18	239	(read with decrypt\$4) same (conver\$5)	US-PGPUB; USPAT	OR	ON	2005/08/09 15:05
S19	154	(read with decrypt\$4) same (conver\$5) and @pd<"20040319"	US-PGPUB; USPAT	OR	ON	2005/08/09 15:06
S20	153	(read with decrypt\$4) same (conver\$5) same (encrypt\$4 or decrypt\$4) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/09 15:07
S21	103	(read with decrypt\$4) same (convert\$4) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/09 15:34
S22	29	(read with decrypt\$4) same (data near (convert\$4 or conversion)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/09 16:35
S23	2339	(file adj system) and ((read or write)adj request) and ("i/o" or input or output)	US-PGPUB; USPAT	OR	ON	2005/08/09 16:36
S24	721	(file adj system) and ((read or write)adj request) and ("i/o" or input or output) and (data adj block) and @pd<"20040319"	US-PGPUB; USPAT	OR	ON	2005/08/09 16:37
S25	156	(file adj system) same((read or write)adj request) and ("i/o" or input or output) and (data adj block) and @pd<"20040319"	US-PGPUB; USPAT	OR	ON	2005/08/09 16:37
S26	53	(file adj system) same((read or write)adj request) same ("i/o" or input or output) and (data adj block) and @pd<"20040319"	US-PGPUB; USPAT	OR	ON	2005/08/09 16:37
S27	10	(file adj system) same((read or write)adj request) same ("i/o" or input or output) same (data adj block) and @pd<"20040319"	US-PGPUB; USPAT	OR	ON	2005/08/09 16:58
S28	5	(file adj system) same((read or write)adj request) same ("i/o" or input or output) same (data adj block) and @pd<"20040319" and sequential	US-PGPUB; USPAT	OR	ON	2005/08/10 09:00
S29	16	(661149 055431 947370).ap.	US-PGPUB; USPAT	OR	ON	2005/08/10 09:01
S30	3	(US-20030140070-\$ or US-20040125077-\$).did. or (US-5289581-\$).did.	US-PGPUB; USPAT	OR	ON	2005/08/10 17:02
S31	1	"00221966"	US-PGPUB; USPAT	OR	ON	2005/08/10 13:20
S32	17	"0021966"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:20
S33	3	"0021986"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:21

EAST Search History

S34	3	"570989"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:22
S35	2	"6570989"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:24
S36	4	("6570989" 5987572 5742686 5548 648).pn.	US-PGPUB; USPAT	OR	ON	2006/01/13 12:58
S37	0	2005/0021986	US-PGPUB; USPAT	OR	ON	2005/08/10 09:27
S38	0	"US 2005/0021986"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:27
S39	1	"0140070"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:28
S40	10	"055431"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:28
S41	8	("6570989" 5987572 5742686 5548 648 5940507 5677952 5235641 52 08813).pn.	US-PGPUB; USPAT	OR	ON	2005/08/10 17:03
S42	8	("6570989" 5987572 5742686 5548 648 5940507 5677952 5235641 52 08813).pn. and (data or storage or convert\$3 or encrypt\$3 or \$decrypt\$3 or read\$3 or writ\$3)	US-PGPUB; USPAT	OR	ON	2005/08/10 09:48
S43	29287	(database or "data base" or "data storage" or "data repository") same (convert\$3 or converssion)	US-PGPUB; USPAT	OR	ON	2005/08/10 09:50
S44	14247	(database or "data base" or "data storage" or "data repository") with (convert\$3)	US-PGPUB; USPAT	OR	ON	2005/08/10 09:50
S45	1453	(database or "data base" or "data storage" or "data repository") near (convert\$3)	US-PGPUB; USPAT	OR	ON	2005/08/10 09:51
S46	1092	(database or "data base" or "data storage" or "data repository") near (convert\$3) and @pd<"20040319"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:51
S47	291	(database or "data base" or "data storage" or "data repository") near (convert\$3) and security and @pd<"20040319"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:52
S48	23	(database or "data base" or "data storage" or "data repository") near (convert\$3) same security and @pd<"20040319"	US-PGPUB; USPAT	OR	ON	2006/01/10 15:43
S49	1415	(database or "data base" or "data storage" or "data repository") near (convert\$3 or conversion) and @pd<"20040319"	US-PGPUB; USPAT	OR	ON	2005/08/10 09:56

EAST Search History

S50	5	((database or "data base" or "data storage" or "data repository") near (convert\$3 or conversion)same encrypt\$3) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:06
S51	463	((database or "data base" or "data storage" or "data repository") same conver\$5 same encrypt\$3) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:08
S52	5	((database or "data base" or "data storage" or "data repository") near conver\$5 same encrypt\$3) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:08
S53	1470	((database or "data base" or "data storage" or "data repository") near conver\$5) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:09
S54	498	((database or "data base" or "data storage" or "data repository") near conver\$5 and secur\$4) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:10
S55	141	((database or "data base" or "data storage" or "data repository") near conver\$5 and secur\$4 and encrypt\$3) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:11
S56	141	((database or "data base" or "data storage" or "data repository") near conver\$5) and secur\$4 and encrypt\$3) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:14
S57	25	((database or "data base" or "data storage" or "data repository") and (crypt\$10 near conver\$5)) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:30
S58	6	"810575".ap.	US-PGPUB; USPAT	OR	ON	2005/08/10 10:32
S59	0	(database or "data base" or "data storage" or "data repository") and ((read adj request) same decrypt\$3) and @pd<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:34
S60	0	(database or "data base" or "data storage" or "data repository") and ((read adj request) same decrypt\$3) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 10:34
S61	49	(database or "data base" or "data storage" or "data repository") and ((read adj request) same decrypt\$3) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2005/08/10 11:11

EAST Search History

S62	5	(database or "data base" or "data storage" or "data repository") and ((read adj request) same decrypt\$3) and @ad<"20040311" and sequential	US-PGPUB; USPAT	OR	ON	2005/08/10 11:12
S63	5	(database or "data base" or "data storage" or "data repository") and ((read adj request) same decrypt\$3) and @ad<"20040311" and sequential and write	US-PGPUB; USPAT	OR	ON	2005/08/10 11:13
S64	3	(database or "data base" or "data storage" or "data repository") and ((read adj request) same decrypt\$3) and @ad<"20040311" and sequential and (write near request)	US-PGPUB; USPAT	OR	ON	2005/08/10 11:14
S65	1	(database or "data base" or "data storage" or "data repository") and ((read adj request) same decrypt\$3) and @ad<"20040311" and sequential and (write near request) and (data near block)	US-PGPUB; USPAT	OR	ON	2005/08/10 11:15
S66	4	"704115"	US-PGPUB; USPAT	OR	ON	2005/08/10 13:20
S67	5	(US-20030149881-\$ or US-20030037247-\$ or US-20040025035-\$ or US-20030037202-\$).did. or (US-5283828-\$).did.	US-PGPUB; USPAT	OR	ON	2005/08/10 17:01
S68	0	S67 and engine	US-PGPUB; USPAT	OR	ON	2005/08/10 17:01
S69	3	(US-20030140070-\$ or US-20040125077-\$).did. or (US-5289581-\$).did.	US-PGPUB; USPAT	OR	ON	2005/08/10 17:02
S70	1	S69 and engine	US-PGPUB; USPAT	OR	ON	2005/08/10 17:02
S71	8	("6570989" 5987572 5742686 5548 648 5940507 5677952 5235641 52 08813).pn.	US-PGPUB; USPAT	OR	ON	2005/08/10 17:03
S72	1	S71 and engine	US-PGPUB; USPAT	OR	ON	2005/08/11 13:44

EAST Search History

S73	50	("6249824" "5319395" "6243348" "6072185" "4771375" "5388074" "5657398" "5805155" "5177796" "5237529" "5274508" "5321699" "5386422" "5440686" "5469444" "5592413" "5724241" "5255226" "5477492" "5508541" "5511212" "5684693" "5719900" "5736760" "5847992" "5956400" "6201658" "6202073" "4924426" "4949287" "5003408" "5276867" "5423038" "5430661" "5491338" "5607305" "5613109" "5657267" "5715422" "5732278" "5733126" "5748870" "5777811" "5790183" "5797027" "5796436" "5815413" "5835955" "5836889" "5875297").pn.	US-PGPUB; USPAT	OR	ON	2005/08/11 13:44
S74	17	S73 and (data adj storage) and (convert\$3 or convers\$4)	US-PGPUB; USPAT	OR	ON	2005/08/11 13:46
S75	2426	hitachi and (data adj storage) and (convert\$3 or convers\$4)	US-PGPUB; USPAT	OR	ON	2005/08/11 13:47
S76	1729	hitachi and ltd and (data adj storage) and (convert\$3 or convers\$4)	US-PGPUB; USPAT	OR	ON	2005/08/11 13:47
S77	1432	(hitachi adj ltd) and (data adj storage) and (convert\$3 or convers\$4)	US-PGPUB; USPAT	OR	ON	2005/08/11 13:48
S78	64	(hitachi adj ltd) and (data adj storage) and (convert\$3 or convers\$4) and encrypt\$	US-PGPUB; USPAT	OR	ON	2005/08/11 13:50
S79	16	(hitachi adj ltd) and (data adj storage) and cryptographic	US-PGPUB; USPAT	OR	ON	2005/08/11 13:55
S80	4	"799086".ap.	US-PGPUB; USPAT	OR	ON	2005/08/11 13:55
S81	14	(380/255.ccls.) and (data adj storage) and cryptographic	US-PGPUB; USPAT	OR	ON	2005/08/11 13:56
S82	93	(380/277.ccls.) and (data adj storage) and cryptographic	US-PGPUB; USPAT	OR	ON	2005/08/11 13:56
S83	119	(713/200.ccls.) and (data adj storage) and cryptographic	US-PGPUB; USPAT	OR	ON	2005/08/11 13:56
S84	69	(713/200.ccls.) and (data adj storage) and cryptographic and (convert\$3 or convers\$4)	US-PGPUB; USPAT	OR	ON	2005/08/11 13:56
S85	69	(713/201.ccls.) and (data adj storage) and cryptographic and (convert\$3 or convers\$4)	US-PGPUB; USPAT	OR	ON	2005/08/11 13:56
S86	1	"20050102498"	US-PGPUB; USPAT	OR	ON	2006/01/10 14:09

EAST Search History

S87	23	cryptographic near conversion	US-PGPUB; USPAT	OR	ON	2006/01/10 14:53
S88	23	(cryptographic near conversion)	US-PGPUB; USPAT	OR	ON	2006/01/10 16:32
S89	334	((encrypt\$3) near conversion)	US-PGPUB; USPAT	OR	ON	2006/01/10 15:38
S90	326	((encrypt\$3) near conversion) and @ad<"20050505"	US-PGPUB; USPAT	OR	ON	2006/01/10 15:43
S91	295	((encrypt\$3) near conversion) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 15:44
S92	292	((encrypt\$3) near conversion) and @ad<"20040311" and ((data base) or database or (data near storage))	US-PGPUB; USPAT	OR	ON	2006/01/10 15:44
S93	13	((encrypt\$3) near conversion)same((data near base) or database or (data near storage))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 15:47
S94	13	((encrypt\$3) near conversion)same((data near base) or database or (data near (storage or repository)))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 15:47
S95	13	((encrypt\$3) near conversion)same((data near (base or storage or repository)) or database)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 15:49
S96	14	((encrypt\$3) near conversion)same((data near (base or storage or repository)) or database)) and @ad<="20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 15:50
S97	39	((encrypt\$3) near2 conversion)same((data near (base or storage or repository)) or database)) and @ad<="20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:04
S98	69	((algorithm) near2 conversion)same((data near (base or storage or repository)) or database)) and @ad<="20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:05
S99	53	((algorithm) near conversion)same((data near (base or storage or repository)) or database)) and @ad<="20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:30
S10 0	14771	((parallel)same((data near (base or storage or repository)) or database)) and @ad<="20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:31

EAST Search History

S10 1	1726	((parallel near process\$3)same((data near (base or storage or repository)) or database)) and @ad<="20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:31
S10 2	17	(cryptographic near convert\$3)	US-PGPUB; USPAT	OR	ON	2006/01/13 09:06
S10 3	5	(cryptographic near convert\$3) same (data or database)	US-PGPUB; USPAT	OR	ON	2006/01/10 16:36
S10 4	43	(cryptographic near3 convert\$3) same (data or database)	US-PGPUB; USPAT	OR	ON	2006/01/10 16:36
S10 5	0	(cryptographic near3 convert\$3) same (data or database) same parallel	US-PGPUB; USPAT	OR	ON	2006/01/10 16:37
S10 6	1	(cryptographic near3 convert\$3) same parallel	US-PGPUB; USPAT	OR	ON	2006/01/10 16:38
S10 7	0	(cryptographic near3 convert\$3) same concurrent	US-PGPUB; USPAT	OR	ON	2006/01/10 16:38
S10 8	86318	concurrent	US-PGPUB; USPAT	OR	ON	2006/01/10 16:38
S10 9	42657	concurrent and (convert\$3 or conversion)	US-PGPUB; USPAT	OR	ON	2006/01/10 16:39
S11 0	224	concurrent and ((encrypt\$3 or cryptographic\$3) near3 (convert\$3 or conversion))	US-PGPUB; USPAT	OR	ON	2006/01/10 16:39
S11 1	670	(concurrent or parallel) and ((encrypt\$3 or cryptographic\$3) near2 (convert\$3 or conversion))	US-PGPUB; USPAT	OR	ON	2006/01/10 16:40
S11 2	657	(concurrent\$2 or parallel) and ((encrypt\$3 or cryptographic\$3) near2 (convert\$3 or conversion)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:41
S11 3	58	((concurrent\$2 or parallel) same ((encrypt\$3 or cryptographic\$3) near2 (convert\$3 or conversion))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:41
S11 4	58	((concurrent\$2 or parallel) same ((encrypt\$3 or cryptographic\$3) near2 (convert\$3 or conversion))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:45
S11 5	67	((concurrent\$2 or parallel) same ((encrypt\$3 or cryptographic\$3) near2 (convert\$3 or conversion or chang\$3))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:46

EAST Search History

S11 6	73	((concurrent\$2 or parallel) same ((encrypt\$3 or cryptograph\$3) near2 (convert\$3 or conversion or chang\$3 or transform\$3))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:46
S11 7	126	((concurrent\$2 or parallel or ("same" near time)) same ((encrypt\$3 or cryptograph\$2) near2 (convert\$3 or conversion or chang\$3 or transform\$3))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:48
S11 8	126	((concurrent\$2 or parallel or ("same" near time)) same ((encrypt\$3 or cryptograph\$3) near2 (convert\$3 or conversion or chang\$3 or transform\$3))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:48
S11 9	126	((concurrent\$2 or parallel or ("same" near time)) same ((encrypt\$3 or cryptograph\$2) near2 (convert\$3 or conversion or chang\$3 or transform\$3))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:54
S12 0	126	((concurrent\$2 or parallel or ("same" near time)) same ((encrypt\$3 or cryptograph\$2) near2 (convert\$3 or conversion or chang\$3 or transform\$4))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/10 16:54
S12 1	138	((concurrent\$2 or parallel or ("same" near time)) same ((encrypt\$3 or cryptograph\$2) near2 (convert\$3 or conversion or chang\$3 or transform\$5))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/05/08 10:38
S12 2	46	(cryptograph\$2 near (convert\$3 or conversion))	US-PGPUB; USPAT	OR	ON	2006/01/13 09:08
S12 3	41	(cryptograph\$2 near (convert\$3 or conversion)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:14
S12 4	112	(cryptograph\$2 near2 (convert\$3 or conversion)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:15
S12 5	942	(cryptograph\$2 same (convert\$3 or conversion)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:15
S12 6	538	(cryptograph\$2 same (convert\$3 or conversion) same data) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:17
S12 7	37	(cryptograph\$2 same (convert\$3 or conversion) same (data near block)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:17

EAST Search History

S12 8	37	(cryptograph\$2 same (convert\$3 or conversion) same (data near block\$1)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:17
S12 9	41	(cryptograph\$2 same (convert\$3 or conversion) same (data near2 block\$1)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:18
S13 0	46	(cryptograph\$2 same (convert\$3 or conversion) same (data near3 block\$1)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:48
S13 1	2	(encrypted near data near (convert\$3 or conversion) near5 (data near (base or storage))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:53
S13 2	1308	(encrypt\$3 near5 updat\$3) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:54
S13 3	994	(encrypt\$3 near3 updat\$3) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:54
S13 4	192	(encrypt\$3 near3 updat\$3 near3 data) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:54
S13 5	1593	((database or (data near storage)) near3 conversion) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:55
S13 6	0	((database or (data near storage)) near3 conversion near3 cryptograph\$2) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:55
S13 7	0	((database or (data near storage)) near3 conversion near5 cryptograph\$2) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:55
S13 8	0	((database or (data near storage)) near3 conversion same cryptograph\$2) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:56
S13 9	22	((database or (data near storage)) same conversion same cryptograph\$2) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:56
S14 0	24	((database or (data near storage) or (data near base)) same conversion same cryptograph\$2) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:56
S14 1	24	((database or (data near storage) or (data near base) or repository) same conversion same cryptograph\$2) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 09:57

EAST Search History

S14 2	50	((database or (data near storage) or (data near base) or repository) same (conversion or convert\$3) same cryptograph\$2) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/01/13 11:49
S14 3	4	((database or (data near storage) or (data near base) or repository) same (conversion or convert\$3) same cryptograph\$2) and @ad<"20040311"	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/13 11:53
S14 4	0	((database or (data near storage) or (data near base) or repository) same (conversion or convert\$3) same cryptograph\$2) and @ad<"20040311"	USOCR	OR	ON	2006/01/13 11:53
S14 5	5	"799086".ap.	US-PGPUB; USPAT	OR	ON	2006/01/13 12:55
S14 6	4	"OSAKI, NOBUYUKI"	US-PGPUB; USPAT	OR	ON	2006/01/13 12:55
S14 7	1	S145 and S146	US-PGPUB; USPAT	OR	ON	2006/01/13 12:56
S14 8	5	S145	US-PGPUB; USPAT	OR	ON	2006/01/13 12:56
S14 9	4	S146	US-PGPUB; USPAT	OR	ON	2006/01/13 12:56
S15 0	2	(encrypted adj data adj storage) same convert\$3	US-PGPUB; USPAT	OR	ON	2006/01/13 12:56
S15 1	6	S145 or S150	US-PGPUB; USPAT	OR	ON	2006/01/13 12:56
S15 2	5	S145	US-PGPUB; USPAT	OR	ON	2006/01/13 12:58
S15 3	5	S145	US-PGPUB; USPAT	OR	ON	2006/01/13 12:57
S15 4	4	S146	US-PGPUB; USPAT	OR	ON	2006/01/13 12:57
S15 5	8	S145 or S146	US-PGPUB; USPAT	OR	ON	2006/01/13 12:57
S15 6	4	("6570989" 5987572 5742686 5548648).pn.	US-PGPUB; USPAT	OR	ON	2006/01/13 12:58
S15 7	1	("6570989").pn.	US-PGPUB; USPAT	OR	ON	2006/01/13 12:59
S15 8	3	S156 not S157	US-PGPUB; USPAT	OR	ON	2006/01/13 12:59
S15 9	1	S156 and S157	US-PGPUB; USPAT	OR	ON	2006/01/13 12:59

EAST Search History

S16 0	4	S156 or S157	US-PGPUB; USPAT	OR	ON	2006/01/13 13:00
S16 1	4362792	S157 in S156	US-PGPUB; USPAT	OR	ON	2006/01/13 13:00
S16 2	4362792	S157 in S156	US-PGPUB; USPAT	OR	ON	2006/01/13 13:01
S16 3	4	"OSAKI, NOBUYUKI"	US-PGPUB; USPAT	OR	ON	2006/01/13 13:08
S16 4	66120	"hitachi"	US-PGPUB; USPAT	OR	ON	2006/01/13 13:08
S16 5	51025	"hitachi" and ltd	US-PGPUB; USPAT	OR	ON	2006/01/13 13:09
S16 6	2	S165 and (cryptographic near conversion)	US-PGPUB; USPAT	OR	ON	2006/01/13 13:09
S16 7	3	S165 and (cryptographic near3 conversion)	US-PGPUB; USPAT	OR	ON	2006/01/13 13:09
S16 8	880	(convert\$4 or convers\$4)same(read adj request)	US-PGPUB; USPAT	OR	ON	2006/01/17 11:49
S16 9	3	(convert\$4 or convers\$4)same(read adj request) and 707/6	US-PGPUB; USPAT	OR	ON	2006/01/17 11:50
S17 0	26	(convert\$4 or convers\$4)same(read adj request) and 711/100	US-PGPUB; USPAT	OR	ON	2006/01/17 11:50
S17 1	15	(convert\$4 or convers\$4)same(read adj request) and 711/168	US-PGPUB; USPAT	OR	ON	2006/05/08 10:43
S17 2	85	((concurrent\$2 or parallel) same ((encrypt\$3 or cryptograph\$2) near2 (convert\$3 or conversion or chang\$3 or transform\$5))) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/05/08 10:39
S17 3	17863	((concurrent\$2 or parallel) same ((conversion or convert\$3) near3 data)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/05/08 10:41
S17 4	17974	((concurrent\$2 or parallel\$5) same ((conversion or convert\$3) near3 data)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/05/08 10:41
S17 5	14747	((concurrent\$2 or parallel\$5) same ((conversion or convert\$3) near2 data)) and @ad<"20040311"	US-PGPUB; USPAT	OR	ON	2006/05/08 10:41
S17 6	917	(convert\$4 or convers\$4)same(read adj request) and @ad<"20050311"	US-PGPUB; USPAT	OR	ON	2006/05/08 10:44
S17 7	620	@ad<"20050311" and ((convert\$4 or convers\$4)same(read adj request) and (parallel\$5 or concurrent\$3))	US-PGPUB; USPAT	OR	ON	2006/05/08 10:45

EAST Search History

S17 8	58	@ad<"20050311" and ((convert\$4 or convers\$4)same(read adj request) same (parallel\$5 or concurrent\$3))	US-PGPUB; USPAT	OR	ON	2006/05/08 10:47
S17 9	124	@ad<"20050311" and ((convert\$4 or convers\$4)same((read\$3 or writ\$3) adj request) same (parallel\$5 or concurrent\$3))	US-PGPUB; USPAT	OR	ON	2006/05/08 10:47
S18 0	109	@ad<"20050311" and ((convert\$4 or convers\$4)same((read or write) adj request) same (parallel\$5 or concurrent\$3))	US-PGPUB; USPAT	OR	ON	2006/05/08 10:48
S18 1	58	@ad<"20050311" and ((convert\$4 or convers\$4)same((read) adj request) same (parallel\$5 or concurrent\$3))	US-PGPUB; USPAT	OR	ON	2006/05/08 10:48
S18 2	50	@ad<"20040311" and ((convert\$4 or convers\$4)same((read) adj request) same (parallel\$5 or concurrent\$3))	US-PGPUB; USPAT	OR	ON	2006/05/08 10:48
S18 3	68	@ad<"20050311" and ((convert\$4 or convers\$4)same((read) adj request) same (parallel\$5 or concurrent\$3 or (during near time)))	US-PGPUB; USPAT	OR	ON	2006/05/08 10:49
S18 4	134	@ad<"20050311" and ((convert\$4 or convers\$4)same((read) adj request) same (parallel\$5 or concurrent\$3 or (during)))	US-PGPUB; USPAT	OR	ON	2006/05/08 10:49
S18 5	69	@ad<"20050311" and ((convert\$4 or convers\$4)same((read) adj request) same (parallel\$5 or concurrent\$3 or (during near3 time)))	US-PGPUB; USPAT	OR	ON	2006/05/08 10:52
S18 6	1	"5805483".pn.	US-PGPUB; USPAT	OR	ON	2006/05/08 11:52
S18 7	1	"5805483".pn. and (write and read and (convert\$3 or conversion))	US-PGPUB; USPAT	OR	ON	2006/05/08 11:53
S18 8	1	"5805483".pn. and (write and read and (convert\$3 or conversion)and parallel)	US-PGPUB; USPAT	OR	ON	2006/05/08 12:01
S18 9	1	"5805483".pn. and (write and read and (convert\$3 or conversion)and (parallel or concurrent\$3))	US-PGPUB; USPAT	OR	ON	2006/05/08 13:56
S19 0	0	"5805483".pn. and (circuitry)	US-PGPUB; USPAT	OR	ON	2006/05/08 13:56
S19 1	0	"5805483".pn. and (circuitry)	US-PGPUB; USPAT	OR	ON	2006/05/08 13:57

EAST Search History

S19 2	1	"5805483".pn. and (circuit\$3)	US-PGPUB; USPAT	OR	ON	2006/05/08 13:57
S19 3	0	"5805483".pn. and (circuit\$3 near3 logic\$3)	US-PGPUB; USPAT	OR	ON	2006/05/08 13:57
S19 4	1	"5805483".pn. and (circuit\$3)	US-PGPUB; USPAT	OR	ON	2006/05/08 15:25